



10/020561-050402

#9

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application Serial No. 10/020,561
Filing Date December 7, 2001
Inventor Joachim Schroeder
Assignee Carl-Zeiss-Stiftung trading as Carl Zeiss
Group Art Unit 2812
Examiner Unknown
Attorney's Docket No. LO25-009
Title: System For Flushing At Least One Internal Space Of An Objective

**RESPONSE TO APRIL 25, 2002 NOTICE
TO FILE CORRECTED APPLICATION PAPERS
PURSUANT TO 37 CFR §1.52**

To: Assistant Commissioner for Patents
ATTN: Customer Service Center
Initial Patent Examination Division
Washington, D.C. 20231

From: D. Brent Kenady (Tel. 509-624-4276; Fax 509-838-3424)
Wells St. John P.S.
601 West First Avenue, Suite 1300
Spokane, WA 99201-3828


Responsive to the Notice to File Corrected Application Papers dated
April 12, 2002, Applicant remarks as follows:

REMARKS

The U.S. Patent and Trademark Office (PTO) asserts that the specification
as filed is not in compliance with 37 CFR § 1.52 regarding the margin spacing.
In response, the Applicant submits herewith a substitute specification with
compliant margin spacing.

Respectfully submitted,

Dated: 5-15-02

By: 
D. Brent Kenady
Reg. No. 40,045


A9



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D C 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/020,561	02/07/2001	Joachim Schroeder	LO25-009

021567
WELLS ST. JOHN P.S.
601 W. FIRST
SUITE 1300
SPOKANE, WA 99201-3828

CONFIRMATION NO. 8595

FORMALITIES LETTER



OC000000007860975

CERTIFICATE OF
CORRECTION

Date Mailed: 04/12/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Papers contain improper margins. *Each sheet must have a left margin of at least 2.5 cm (1") and top, bottom and right margins of at least 2.0 cm (3/4")*

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY